


# NEWMAN

## Sanitary Gasket Company

Products of integrity...from people of integrity.

PRODUCT CATALOG



[www.newmangasket.com](http://www.newmangasket.com)

## CLASS VI



### MINI GASKETS


42RX-E EPDM  
42RX-SFY Viton®  
42RX-X Silicone  
42RX-PX Silicone Platinum Cured

Sizes Available  
1/2" & 3/4"



40RX-E EPDM  
40RX-SFY Viton®  
40RX-X Silicone  
40RX-PX Silicone Platinum Cured

Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3" & 4"



40RXF-E EPDM  
40RXF-SFY Viton®  
40RXF-X Silicone  
40RXF-PX Silicone Platinum Cured

Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3" & 4"



### CLASS VI "O" RING KITS FOR GLATT NOZZLES

EPDM and Viton®  
Each 10 piece kit is identified with a batch number and cure date


## SILVERSTONE



### MINI GASKETS

42MP-GST Silverstone™

Sizes Available  
1/2" & 3/4"



40MP-GST Silverback™

Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3" & 4"

## CLAMP GASKETS




### MINI GASKETS

42MP-U Buna-N\*\*  
42MP-SFY Viton®\*\*  
42MP-E EPDM\*\*  
42MP-G Teflon®  
42MP-XW Silicone\*

Sizes Available  
1/2" & 3/4"

\* Also available in clear  
\*\* Also available in white




### FLANGED CLAMP GASKETS

40MPF-U Buna-N\*\*  
40MPF-SFY Viton®\*\*  
40MPF-E EPDM\*\*  
40MPF-XW Silicone\*

Sizes Available  
1", 1 1/2", 2", 2 1/2",  
3" & 4"

\* Also available in clear  
\*\* Also available in white




### STANDARD CLAMP GASKETS

40MP-U Buna-N\*\*  
40MP-SFY Viton®\*\*  
40MP-E EPDM\*\*  
40MP-G Teflon®  
40MP-XW Silicone\*

Sizes Available  
1", 1 1/2", 2", 2 1/2",  
3", 4", 5" & 6"

\* Also available in clear  
\*\* Also available in white




### FLANGED CLAMP GASKETS

40MOF-U Buna-N\*\*  
40MOF-SFY Viton®\*\*  
40MOF-E EPDM\*\*  
40MOF-XW Silicone\*

Sizes Available  
6", 8", 10" & 12"

\* Also available in clear  
\*\* Also available in white

## ENVELOPE GASKETS



### TEFLON® ENVELOPE MINI CLAMP GASKETS

A42MP-GR  
Type 3- Teflon®  
Envelope

Sizes Available  
1/2", & 3/4"

*EPDM Standard Filler  
Fillers also available in Viton®*



### TEFLON® ENVELOPE CLAMP GASKETS

A40MP-GR  
Type 3- Teflon®  
Envelope

Sizes Available  
1", 1 1/2", 2", 2 1/2",  
3", 4", 6", 8", 10"  
& 12"

*EPDM Standard Filler  
Fillers also available in Viton®*

## BEVEL SEAT FLAT



40BS-F Buna-N  
Flat


Sizes Available  
1", 1 1/2", 2", 2 1/2",  
3" & 4"

## BEVEL SEAT



40BS-B Buna-N  
Standard 45° C.I.P.  
90 Durometer


Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3" & 4"



40BS-S Teflon®  
Standard 45°

40BS-H Teflon®  
Heavy Duty 45°

Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3" & 4"



Style 154  
DH Teflon®  
Standard Thickness

Style 156  
DHR Teflon®  
Heavy Thickness

Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3" & 4"



40BS-O Buna-N

Sizes Available  
1 1/2", 2", 2 1/2",  
3" & 4"

Standard 45° C.I.P.  
90 Durometer

*Also available in EPDM, Viton® & Silicone.*

## JOHN PERRY



### JOHN R. PERRY

40JP-U Buna-N  
40JP-E EPDM  
40JP-X Silicone  
40JP-SFY Viton®  
40JP-G Teflon®

Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3" & 4"

## DIN GASKETS



DIN style #32676		Tube Sizes Available
Available in EPDM, Silicone & Viton®	DIN 10	12 x 1 mm
	DIN 15	19 x 1.5 mm
	DIN 20	23 x 1.5 mm
	DIN 25	29 x 1.5 mm
	DIN 32	35 x 1.5 mm
	DIN 40	41 x 1.5 mm
	DIN 50	53 x 1.5 mm
	DIN 65	70 x 2 mm
	DIN 80	85 x 2 mm
	DIN 100	104 x 2 mm

## ISO GASKETS



ISO style #2852		Tube Sizes Available
Available in EPDM, Silicone & Viton®	ISO 8	13.5 x 1.6 mm
	ISO 10	17.2 x 1.6 mm
	ISO 15	21.3 x 1.6 mm
	ISO 20	26.9 x 1.6 mm
	ISO 25	33.7 x 2 mm
	ISO 32	42.4 x 2 mm
	ISO 40	48.3 x 2 mm
	ISO 50	60.3 x 2 mm
	ISO 65	76.1 x 2 mm
	ISO 80	88.9 x 2 mm
	ISO 100	114.3 X 2 mm



**KALREZ®**

#6230 Black	#6221 White	Size
K3751	K3752	1/2"
K3753	K3754	3/4"
K3755	K3755	1"
K3757	K3758	1 1/2"
K3759	K3760	2"
K3761	K3762	2 1/2"
K3763	K3764	3"
K3765	K3766	4"


Available in the U.S. only.



**Q-LINE & I-LINE**


**Q-LINE GASKETS**

40QH Buna-N	<b>Sizes Available</b> 1", 1 1/2", 2", 2 1/2", 3" & 4"
40QT Teflon®	
40QS Silicone	
40QE EPDM	
40QSFY Viton®	



**I-LINE GASKETS**

40IH Buna-N	<b>Sizes Available</b> 1", 1 1/2", 2", 2 1/2", 3", 4" & 6"
40IT Teflon®	
40IV Viton®	
40IE EPDM	
40IX Silicone	



**SCHEDULE 5 I-LINE**

40IT5 Teflon®	<b>Sizes Available</b> 1", 1 1/2", 2", 2 1/2", 3", 4" & 6"
40IH5 Buna-N	
40IV5 Viton®	
40IE5 EPDM	
40IX5 Silicone	



**SCHEDULE 5 GASKETS**


**SCHEDULE 5 FLANGED**

40MV-U Buna-N	<b>Sizes Available</b> 6", 8", 10" & 12"
40MV-SFY Viton®	
40MV-E EPDM	
40MV-X Silicone	



**SCHEDULE 5 STANDARD**


40MV-U Buna-N	<b>Sizes Available</b> 1", 1 1/2", 2", 2 1/2", 3" & 4"
40MV-SFY Viton®	
40MV-E EPDM	
40MV-G Teflon®	
40MV-X Silicone	



**SCHEDULE 5 TEFLON® ENVELOPE**

A40MV-GR	<b>Sizes Available</b> 1", 1 1/2", 2", 2 1/2", 3", 4" & 6"
EPDM standard filler Available in Viton	


## ORIFICE PLATES



### MINI ORIFICE PLATES of 316L Stainless Steel

A84MP-U Buna-N  
A84MP-E EPDM  
A84MP-X Silicone  
A84MP-SFY Viton®  
A84MP-G Teflon® Solid


Sizes Available  
1/2", 3/4"



### ORIFICE PLATES of 316 Stainless Steel

A80MP-U Buna-N  
A80MP-E EPDM  
A80MP-X Silicone  
A80MP-SFY Viton®


Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3", 4"  
& 6"



### REMOVABLE ORIFICE PLATES

A80MP-U Buna-N  
A80MP-E EPDM  
A80MP-X Silicone  
A80MP-SFY Viton®

Sizes Available  
1/2", 3/4", 1", 1 1/2",  
2", 2 1/2",  
3", 4" & 6"



### SOLID ORIFICE PLATES

A40MP-UB Buna-N  
A40MP-EB EPDM  
A40MP-XB Silicone  
A40MP-SFYB Viton®  
A80MP-G Teflon®

Sizes Available  
3/4", 1", 1 1/2",  
2", 2 1/2", 3",  
4" & 6"


## SCREEN GASKETS



### 40MP-US

Type 316 Stainless Steel, .023 Dia. Wire. Width of opening .075 inches between wires—  
O/A 56.8% 100 openings per square inches.

Available in EPDM, Viton & Silicone.  
Available in Flat & Bevel Seat Styles – Bonded only



### 40MP-US Removable

Sizes Available  
1", 1 1/2", 2",  
2 1/2", 3", 4" & 6"



### 40BS-US (Bevel Seat style)



### 40MP-UP


Type 316 Stainless Steel, .033 Dia. / Straight Line Centers, 324 Holes PSI/28% O/A—  
Other size perforated disc are available.

Available in EPDM, Viton & Silicone.



### 40MP-UP Removable

Sizes Available  
1 1/2", 2",  
2 1/2", 3", 4" & 6"



### SPE-4900 Slit ID Gaskets

These Slit ID gaskets can be used with the removable orifice plates, screen gaskets or perforated disk gaskets.

Available in Buna-N, EPDM, Viton & Silicone.

Sizes Available  
1/2", 3/4", 1 1/2", 2", 2 1/2",  
3", 4" & 6"



### SOCK SCREEN GASKET Buna-N Compound Bonded to 316 Stainless Steel #16 Mesh

Available in bevel seat and clamp styles

Sizes Available  
1 1/2", 2", 2 1/2", 3" & 4"

## BODY GASKETS



### BODY GASKETS for Automatic Air Valves

0-17-62

with 316 Stainless  
Steel inserts

Sizes Available  
1 1/2", 2", 2 1/2"  
3", 3 1/2", 4" &  
4 1/2"

*Some sizes available in solid rubber.*

## TANK GASKETS



### MANHOLE GASKETS for most tanks, single and double flanged styles

Double Flanged

41186-B

Single Flanged

402-6229

Universal

964-222

Vertical

932-398

*Custom molded sizes available.*

## EXTRUSIONS



### EXTRUSIONS

Newman's extrusion capabilities are available in straight lengths or in bonded shapes to form an endless component. Newman can extrude a custom profile of any size from two feet to 50 feet in length of Buna-N, Viton®, Silicone or EPDM.

## RELIEF VALVE



### PRESSURE RELIEF VALVE

17-188 Buna-N  
with 316 Stainless  
Steel insert

Sizes Available  
1 1/2"

*1 1/2" Pressure Relief Valve fits a 2" clamp fitting*



### SIGHT GLASS GASKETS (for the following size glass)

10122-B

4011000

B18757A

Sizes Available

4" x 1/4"

4 1/2" x 1/4"

7 1/2" x 1/4"

## PIPE HANGERS



### PIPE HANGER SLEEVES

Made of heat resistant polypropylene, featuring a unique "living" hinge design that provides superior performance... wraps around piping in seconds. Available in 1" thru 4" sizes.

## DC-40 GASKET



### DC-40 GASKET

DC-40 Buna-N

Sizes Available  
1", 1 1/2", 2",  
2 1/2", & 3"

## ACRYLIC SIGHT GLASS



### ACRYLIC SIGHT GLASS

0-16AMP SG

0-16AI-141 SG


0-16A SG

0-16AQ SG

Sizes Available

1 1/2", 2", 2 1/2",

3" & 4"



### PIPELINE HANGER INSERT

0-A24FCF


Sizes Available

A 1-08

B 1 1/2-08

C 2-08

## Dairy Farmer Gaskets



### GASKETS FOR SURGE FITTINGS

40MP-S Buna-N | Sizes Available  
40MP-GS Teflon® | 1 1/2" & 2"



### GASKETS FOR SURGE FITTINGS

40MP-SFL Buna-N Flapper 1 1/2"



### GASKETS FOR GLASS PIPE

40MP-GP Buna-N | Sizes Available  
| 1 1/2" & 2"



## A.P.C. GASKETS

### A.P.C. GASKETS

101 H Buna-N | Sizes Available  
Gray | 1", 1 1/2", 2",  
101 HX Buna-N | 2 1/2", 3", 4"  
Black | & 5"

*Also available in Viton®,  
Silicone, EPDM, Teflon®*

## CLAMP FLAPPER



### STANDARD CLAMP FLAPPER

40MP-FL Buna-N | Sizes Available  
| 1 1/2" & 2"



### DE LAVAL CLAMP FLAPPER

40MP-DFL Buna-N | Sizes Available  
| 1 1/2"

## CASING GASKETS



### FOR CENTRIFUGAL PUMPS

SP-214 | Sizes Available  
SP-216 | 4", 6", & 8"  
SP-318

Available in Buna-N and Viton®

## O-RINGS



### FOR POPULAR CENTRIFUGAL AND POSITIVE DISPLACEMENT PUMPS AND EQUIPMENT

Buna-N, EPDM, Viton®, Silicone  
Packed in units of 25 – All Standard Sizes

*A large variety of standard F.D.A. O-Rings are also in stock.*



### FOR WAUKESHA PUMPS

Buna-N and Viton®  
Packed in units of 25  
Available for Standard and Universal Pumps  
All Standard Sizes

### KALREZ O-RINGS FDA AND CLASS VI

Kalrez O-Rings are available in most standard sizes and selected metric sizes in both black (#6230) and white (#6221) compounds.  
*Available in the U.S. only.*





Some parts shown are proprietary parts and are not available for resale.

When it comes to custom molded parts, you'll find that personal attention to your specific needs is our first priority. What's more, we have significantly expanded our custom molding capabilities with the addition of experienced professionals at the tooling and design phases of the process.

Tooling design in a thought stimulating environment is also supplemented by our extensive computer aided design capabilities. Your custom parts production start with the design phase. Our custom molded products are developed using concurrent engineering techniques to assure a time-line from concept to production that has the consensus of both your team and our development staff. This complex task is the result of total coordination of vendors schedules with the allocation of resources to minimize the time required for tooling to be built and samples manufactured.

In short, you can count on us to work with you to design and manufacture products that optimize cost and functionality of your custom needs.

# PERFORMANCE PROPERTIES

Property	Nitrile (Buna-N)	Ethylene-Propylene (EPDM)	Silicone	Fluoroelastomer (Viton®)	Teflon®	Silverback™	Kalrez®
Tensile Strength	Fair-Good	Good-Excellent	Good	Good-Excellent	Excellent	Excellent	Excellent
Electrical Properties	Poor	Excellent	Excellent	Good	Excellent	Excellent	Excellent
Weather Resistance	Good	Excellent	Excellent	Good	Excellent	Excellent	Excellent
Ozone Resistance	Fair	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Heat Resistance	Good (225°F)	Excellent (275°F)	Excellent (450°F)	Excellent (400°F)	Excellent (450°F)	Excellent (450°F)	Excellent (500°F)
Cold Resistance	Fair-Good (-40°F)	Good-Excellent (-55°F)	Excellent (-80°F)	Good (-20°F)	Fair (-110°F)	Good (-20°F)	Excellent (-110°F)
Steam Resistance	Good	Good	Good	Excellent	Excellent	Excellent	Excellent
Tear Resistance	Good	Good	Excellent	Fair	Excellent	Excellent	Good
Abrasion Resistance	Good	Good-Excellent	Good - Excellent	Good	Excellent	Excellent	Good
Acid Resistance	Good	Good-Excellent	Good	Good	Excellent	Excellent	Excellent
Petroleum Oil	Excellent	Poor	Good	Excellent	Excellent	Excellent	Excellent
Flame Resistance	Poor	Poor	Poor	Good	Excellent	Excellent	Excellent
Vegetable Oil	Good	Good (Most)	Good (Intermittent)	Excellent	Excellent	Excellent	Excellent

**Buna-N is not recommended for use with CIP Sanitizing Agent OXONIA; use EPDM or Silicone. EPDM or Viton® is recommended for ozone treated water.**

All of the above compounds used in our production meet the criteria set forth by United States Public Health Service and United States Department of Agriculture.



P.O. Box 222, Lebanon, Ohio 45036 • Telephone (513) 932-7379 • Fax (513) 932-4493  
 www.newmangasket.com • e-mail: customer@newmangasket.com